

| | Type | Hits | Search Text | DBs |
|----|------|--------|--|-------|
| 1 | BRS | 10 | translat\$4 with TOS | USPAT |
| 2 | BRS | 33 | translat\$4 same TOS | USPAT |
| 3 | BRS | 5674 | (code or instruct\$4) near2 translat\$4 | USPAT |
| 4 | BRS | 1261 | ((code or instruct\$4) near2 translat\$4) and stack | USPAT |
| 5 | BRS | 62 | ((code or instruct\$4) near2 translat\$4) and stack) and TOS | USPAT |
| 6 | BRS | 1 | 6134573.pn. | USPAT |
| 7 | BRS | 0 | Updat\$3 adj actual adj TOS | USPAT |
| 8 | BRS | 0 | correct\$3 adj actual adj TOS | USPAT |
| 9 | BRS | 6 | correct\$3 adj TOS | USPAT |
| 10 | BRS | 15 | (correct\$3 or updat\$3) adj TOS | USPAT |
| 11 | BRS | 1 | 6134573.pn. | USPAT |
| 12 | BRS | 0 | Rich.xp. and ellis.xp. | USPAT |
| 13 | BRS | 380 | Richard.xp. and ellis.xp. | USPAT |
| 14 | BRS | 2 | (Richard.xp. and ellis.xp.) and object.ti. | USPAT |
| 15 | BRS | 296 | 717/136,139,148.ccls. | USPAT |
| 16 | BRS | 338 | 712/227.ccls. | USPAT |
| 17 | BRS | 201 | 712/209.ccls. | USPAT |
| 18 | BRS | 10 | meonske | USPAT |
| 19 | BRS | 447922 | meonske and Branch target buffer | USPAT |
| 20 | BRS | 1 | meonske and Branch and target and buffer | USPAT |
| 21 | BRS | 0 | 09435065.an. | USPAT |
| 22 | BRS | 0 | 6651162.pn. | USPAT |
| 23 | BRS | 16552 | (TOS or (top near2 stack)) | USPAT |
| 24 | BRS | 14328 | ((TOS or (top near2 stack))) and stack | USPAT |
| 25 | BRS | 2 | ((TOS or (top near2 stack)) with actual with (predic\$5 or speculat\$5)) and stack | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|-------|
| 26 | BRS | 2 | ((TOS or (top near2 stack)) with actual with (predic\$5 or speculat\$5 or expect\$3)) and stack | USPAT |
| 27 | BRS | 6 | ((TOS or (top near2 stack)) with (actual or real or final) with (predic\$5 or speculat\$5 or expect\$3)) and stack | USPAT |
| 28 | BRS | 184 | ((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack | USPAT |
| 29 | BRS | 152 | ((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) and translat\$3 | USPAT |
| 30 | BRS | 141 | ((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) and translat\$3 and (compar\$3 or chack\$3) | USPAT |
| 31 | BRS | 145 | ((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) and translat\$3 and (compar\$3 or check\$3) | USPAT |
| 32 | BRS | 1 | ((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) same translat\$3 same (compar\$3 or check\$3) | USPAT |
| 33 | BRS | 20 | ((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) same translat\$3 | USPAT |
| 34 | BRS | 0 | 6725361.URPN. | USPAT |
| 35 | BRS | 1 | "6349383".PN. | USPAT |
| 36 | BRS | 1 | "6212678".PN. | USPAT |
| 37 | BRS | 1 | "5852726".PN. | USPAT |
| 38 | BRS | 1 | "5522051".PN. | USPAT |
| 39 | BRS | 1 | "5551015".PN. | USPAT |
| 40 | BRS | 1 | "5687336".PN. | USPAT |
| 41 | BRS | 9 | ften | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|-------|
| 42 | BRS | 15 | (compar\$3 near2 instruction) with (TOS or (top near2 stack)) | USPAT |